



TALLENT® VECOO®

Ningbo Cixi Import And Export Holdings Co., Ltd. Ningbo Vecoo Electric Appliances Co., Ltd.

Offce Add.: Hengyuan Plaza-A.No.1988 East Beisanhuan Rd. Cixi, Ningbo, China P.C.: 315300

Tel: +86-574-63886827, 63003622 Fax: +86-574-63032651 E-mail:shenkai@vecoo.com http://www.vecoo.com





AIR COOLER CATALOGUE

Ningbo Vecoo Electric Appliances Co., Ltd.



_VECOO®









FLS-L15A

- Power:50W
- 3 speed settings Wide angle oscillation
- Water tank: 0.8LMeas: 280x240x367mm
- N.W./G.W.:2.8kg/3.4kg
- Qty/40'HQ:2380pcs



FLS-L60

- Power:35W
- 2 speed settings Wide angle oscillation
- Water tank: 1.2LMeas: 240x215x435mm
- N.W./G.W.:1.75kg/2.25kg Qty/40'HQ:3156pcs



FLS-L60R

- Power:35W
- 2 speed settings
- With remote control
- Wide angle oscillationWater tank: 1.2L
- Meas:240x215x435mm
- N.W./G.W.:1.75kg/2.25kg
- Qty/40'HQ:3156pcs





YS-829

- Power:75W
- 3 speed settings
- Wide angle oscillation
- Water tank:4.5L
- Meas:295x325x610mmN.W./G.W.:4.5kg/5.5kgQty/40'HQ:1120pcs



BL-168

- Power:80W
- 3 speed settings
- Wide angle oscillation
- Water tank:4LMeas:300x275x600mm
- N.W./G.W.:4.2kg/5.3kg Qty/40HQ:1280pcs



YS-829GT

- Power:75W
- 3 speed settings
- With timer
- Wide angle oscillation
- Water tank:4LMeas:325x295x660mm
- N.W./G.W.:4.2kg/5.2kg
- Qty/40HQ:1120pcs



RFS-28

- Power:70W
- 3 speed settings
- Wide angle oscillation Water tank:4L
- Meas:325x290x595mm N.W./G.W.:4.7kg/5.9kg
- Qty/40'HQ:1260pcs




- RFS-28R Power:70W
- 3 speed settings
- With remote control
- With 7.5 hours timer 3 kind winds:normal/nature/sleeping
- With anion function Wide angle oscillation
- Water tank:4L
- Meas:325x290x595mm
- N.W./G.W.:4.7kg/5.9kgQty/40'HQ:1260pcs



YS-822

- Power:75W
- 3 speed settings Wide angle oscillation
- Water tank:4L
- Meas:330x295x610mm





- Power:75W
- 3 speed settings
- With remote controlWith 7.5 hours timer
- 3 kind winds:normal/nature/sleeping
- Wide angle oscillation With anion function
- Water tank:4L
- Meas:295x325x610mm
- N.W./G.W.:4.5kg/5.5kg
- Qty/40'HQ:1120pcs



BL-168R

- Power:80W
- 3 speed settings With remote control
- With 7.5 hours timer
- 3 kind of winds:Normal/Nature/Sleeping With anion function
- Wide angle oscillation
- Water tank:4LMeas:300x275x600mmN.W./G.W.:4.2kg/5.3kg
- Qty/40HQ:1280pcs





YS-829GR

- Power:75W
- 3 speed settings
- With remote controlWith 7.5 hours timer
- With LCD display
- 3 kind of winds:Normal/Nature/Sleeping With anion function
- Wide angle oscillation Water tank:4L
- Meas:325x295x660mm
- N.W./G.W.:4.2kg/5.2kg
- Qty/40HQ:1120pcs

01



_VECOO®







YS-822

- Power:75W
- 3 speed settings
- Wide angle oscillation Water tank:4L
- Meas:335x295x610mm
- N.W./G.W.:5.3kg/6.3kg Qty/40'HQ:1120pcs

YS-822R

3 speed settings

Water tank:4L

With remote control

Wide angle oscillation

Meas:320x295x655mm

Qty/40'HQ:1100pcs

N.W./G.W.: 5.5kg/6.5kg

With 7.5 hours timer3 kind winds:normal/nature/sleeping

Power:75W



BR-08

- Power:70W
- 3 speed settings Wide angle oscillation
- Water tank:4LMeas:325x295x600mm
- N.W./G.W.:5.5kg/6.5kg Qty/40HQ:1180pcs



YS-831

- Power:75W
- 3 speed settings With timer
- Wide angle oscillation
- Water tank:4L
- Meas:340x310x710mm
- N.W./G.W.:5kg/6kg
- Qty/40HQ:885pcs





- DG108R Power:65W
- 3 speed settings
- With remote control
- With 7.5 hours timer • 3 kind of wind:normal/nature/sleeping
- LCD display
- Wide angle oscillation

- Water tank: 4.5LMeas: 320x295x655mm
- N.W./G.W.: 5.5kg/6.5kg Qty/40'HQ:1100pcs



YS-831R

- Power:75W
- 3 speed settings With remote control
- With 12 hours timer3 kind of winds:Normal/Nature/Sleeping
- With anion function With LCD display
- Wide angle oscillation
- Water tank:4L
- Meas:340x310x710mm N.W./G.W.:5kg/6kg
- Qty/40HQ:885pcs



RFS-29

■ Power:75W

3 speed settings

Wide angle oscillation

Water tank:5LMeas:365x315x790mm

N.W./G.W.:5.6kg/6.8kg

Qty/40'HQ:760pcs

RFS-29R

3 speed settings

With remote control

With 7.5 hours timer

With anion function

Wide angle oscillation

Water tank:5LMeas:365x315x790mm

N.W./G.W.:5.6kg/6.8kg

Qty/40'HQ:760pcs


3 kind winds:normal/nature/sleeping

Power:75W

- Power:75W
- 3 speed settings
- With timer Wide angle oscillation
- Water tank:7.5L
- Meas:418x332x747mm

VECOO®

N.W./G.W.:7.6kg/6.4kg Qty/40'HQ:680pcs




- Qty/40'HQ:492pcs



LG04-11CR

- Power:75W 3 speed settings
- With remote control
- With 7.5 hours timer
- 3 kind winds:normal/nature/sleeping
- With anion function
- Wide angle oscillation
- Water tank: 7.5LMeas: 418x332x747mm
- N.W./G.W.:7.6kg/6.4kg









- With remote control

- N.W./G.W.:9kg/10.4kg





DL-11R

Power:120W

3 speed settings

With remote control

With 7.5 hours timer LCD display

3 kind winds:normal/nature/sleeping

With anion function

 Wide angle oscillation Water tank:6L

Meas:440x345x855mm

N.W./G.W.:9.5kg/11.2kg

04

Qty/40'HQ:510pcs

03



_VECOO®





YS-911R

- Power:65W
- 3 speed settings
- With remote control
- With 7.5 hours timer 3 kind of winds:Normal/Nature/Sleeping
- With anion function
- Wide angle oscillation
- Water tank:4L
- Meas:320x295x655mm
- N.W./G.W.:5.5kg/6.5kg
- Qty/40HQ:740pcs



ZLF-801

- Power:75W
- 3 speed settings
- With remote control
- With 7.5 hours timer 3 kind of winds:Normal/Nature/Sleeping
- With anion function
- Wide angle oscillation
- Water tank:8LMeas:420x330x760mm
- N.W./G.W.:5.8kg/6.9kg
- Qty/40HQ:640pcs



YS-806

- Power:75W
- 3 speed settings With remote control
- With 8 hours timer
- With LCD display
- 3 kind of winds:Normal/Nature/Sleeping With anion function
- Wide angle oscillation
- Water tank:7L
- Meas:415x315x795mm N.W./G.W.:8.7kg/9.7kg
- Qty/40HQ:670pcs



YS-827

- Power:75W
- 3 speed settings Wide angle oscillation
- Water tank:4.5L Meas:395x295x705mm
- N.W./G.W.:6.2kg/7.3kg
- Qty/40HQ:810pcs



YS-810

- Power:75W
- 3 speed settings
- With remote control With 7.5 hours timer
- LCD display 3 kind winds:normal/nature/sleeping
- With anion function
- Wide angle oscillation Water tank: 7.5L
- Meas:420x335x785mm
- N.W./G.W.:8.5kg/9.5kg
- Qty/40'HQ:630pcs

YS-921R

- Power:80W
- 3 speed settings With remote control
- With 7.5 hours timer
- 3 kind of winds:Normal/Nature/Sleeping With anion function
- Wide angle oscillation
- Water tank:8L
- Meas:420x335x785mm N.W./G.W.:8kg/9kg
- Qty/40HQ:630pcs







YS-821

- Power:75W
- 3 speed settings
- With remote control
- With 7.5 hours timer LCD display
- 3 kind winds:normal/nature/sleeping
- With anion function
- Wide angle oscillation
- Water tank:7LMeas:420x320x805mm
- N.W./G.W.:9.9kg/10.9kg
- Qty/40'HQ:588pcs

YS-819

Power:100W

3 speed settings

With remote control

With 7.5 hours timer

With anion function

Water tank:8L

Wide angle oscillation

Meas:420x330x855mm

N.W./G.W.:8.7kg/9.7kg

Qty/40HQ:588pcs

Radial outward flow turbine

With LCD display3 kind of winds:Normal/Nature/Sleeping



- 3 speed settings Wide angle oscillation
- With water level sense function
- Water tank:8L
- Meas:425x365x780mm
- N.W./G.W.: 8kg/9kg Qty/40'HQ:540pc





YS-812-1

- Power:160W
- 3 speed settings
- With remote control With 7.5 hours timer
- LCD display 3 kind winds:normal/nature/sleeping
- With anion function
- Wide angle oscillation
- Water tank:8LMeas:415x390x860mm
- N.W./G.W.: 10 kg/11.6kg
- Qty/40'HQ:520pcs





- DG101R
- Power:80W
 3 speed settings
- With remote control With 7.5 hours timer
- LCD display
- 3 kind winds:normal/nature/sleeping
 With anion function
- Wide angle oscillation With water level sense function
- Water tank:8L
- Meas:425x365x780mm N.W./G.W.: 8kg/9kg
- Qty/40'HQ:540pcs

N.W./G.W.:5.8kg/6.9kg Qty/40HQ:480pcs

■ Water tank:12L

BR-A

■ Power:100W

3 speed settings

With remote control

With 7.5 hours timer

With anion function

Wide angle oscillation

■ 3 kind of winds:Normal/Nature/Sleeping、

Meas:445x335x950mm















DG104B

- Power:100W
- 3 speed settings
- With remote control With 7.5 hours timer
- 3 kind winds:normal/nature/sleeping
- With anion function Wide angle oscillation
- With water level sense function
- Water tank:10LMeas:460x370x950mm
- N.W./G.W.: 12 kg/13.5kg
- Qty/40'HQ:420pcs



DG104R

- Power:120W
- 3 speed settings
- With remote control
- With 7.5 hours timer LCD display
- 3 kind winds:normal/nature/sleeping With anion function
- Wide angle oscillation Water tank: 10L
- Meas:510x350x1090mm N.W./G.W.:13kg/15kg
- Qty/40'HQ:336pcs



DG106B

- Power:100W
- 3 speed settings
- With remote control
- With 7.5 hours timer
- 3 kind winds:normal/nature/sleeping With anion function
- Wide angle oscillation
- 3 side into wind
- 2 water pump make more wet
- With water level sense function
- Water tank:12L
- Meas:490x390x1120mm
- Qty/40'HQ:315pcs



FL-120F

- Power:120W
- 3 speed settings
- With remote control
- LCD display With 7.5 hours timer
- 3 kind winds:normal/nature/sleeping
- With anion function
- Wide angle oscillation 3 side into wind
- With water level sense function Water tank:10L
- Meas:435x435x945mm N.W./G.W.: 9.7 kg/11.5kg
- Qty/40'HQ:420pcs



DG103B

- Power:80W
- 3 speed settings
- With remote control
- With 7.5 hours timer
- 3 kind winds:normal/nature/sleeping
- With anion function
- Wide angle oscillation
- With water level sense function
- Water tank:12LMeas:490x390x1020mm
- N.W./G.W.: 15 kg/16.8kg Qty/40'HQ:350pcs



FL-120A

- Power:120W
- 3 speed settings
- With remote control
- LCD display
- With 7.5 hours timer
- 3 kind winds:normal/nature/sleeping With anion function
- Wide angle oscillation
- 3 side into wind
- With water level sense functionWater tank:12L
- Meas:475x415x1110mm N.W./G.W.: 11.8 kg/14kg
- Qty/40'HQ:310pcs



DG105B

- Power:100W
- 3 speed settings
- With remote control
- With 7.5 hours timer 3 kind winds:normal/nature/sleeping
- With anion function
- Wide angle oscillation With water level sense function
- Water tank:14LMeas:530x390x1200mm
- N.W./G.W.: 16 kg/17.8kg
- Qty/40'HQ:274pcs



Power:160W

- 3 speed settings
- With remote control
- With 7.5 hours timer 3 kind winds:normal/nature/sleeping
- With anion function
- Wide angle oscillation • With water level sense function
- Water tank:14LMeas:560*460*1245mm
- N.W./G.W.: 16 kg/17.8kg Qty/40'HQ:180pcs



YS-811G

- Power:160W
- 3 speed settings
- With remote control With 8 hours timer
- With LCD display
- 3 kind of winds:Normal/Nature/Sleeping With anion function

Radial outward flow turbine

- Wide angle oscillation
- 3 sides honey comb paper Water tank: 19L
- Meas:545x390x1135mm N.W./G.W.:17kg/19kg
- Qty/40HQ:280pcs









ZN-01R

- Power:180W
- Air flow: 4000cbm/h
- 3 speed settings
- With remote control With 15 hours timer
- 3 kind of winds:Normal/Nature/Sleeping
- With anion function
- Wide angle oscillation
- 3 sides honey comb paper
- With water level sense function
- Water tank:30LMeas:390*490*1370mm
- N.W./G.W.:14kg/16kg
- Qty/40HQ:280pcs





VECOO®





MFC-3800H

- Motor power: 180W
- 3 In 1 Air Cooler/Air Purifier/ Humidifier
- Air flow:3800 cbm/h Cooling area:30m³
- Air distance:8M
- 3 speed choices
- Automatic horizontal and mechanical vertical swing
- Free moving wheel
- With water level sense function
- Water tank capacity:30L
- Meas:550x400x910mm N.W./G.W.:14kg/16kg
- Qty/40'HQ:340pcs



MFC-3800

- Motor power: 180W3 In 1 Air Cooler/Air Purifier/ Humidifier Air flow:3800 cbm/h
- Cooling area:30m³
- Air distance:8M
- 3 speed choices
- Automatic horizontal and mechanical vertical swing
- Free moving wheel
- With water level sense function
- Water tank capacity:30LMeas:550x400x610mm
- N.W./G.W.:12kg/13.5kg Qty/40'HQ:500pcs



MFC-7000

- Motor power: 220W
 3 In 1 Air Cooler/Air Purifier/ Humidifier
- Air flow:7000 cbm/h
- Cooling area:50m³
- Air distance:12M
- 3 speed choices
- Automatic horizontal and mechanical vertical swing
- Free moving wheel
- With water level sense function
- Water tank capacity:60LMeas:655x445x1125mm
- N.W./G.W.:18.5kg/20.8kg Qty/40'HQ:180pcs

33 Min 23



- 3 In 1 Air Cooler/Air Purifier/ Humidifier Air flow:3800 cbm/h
- Cooling area:30m³
- Air distance:8M
- 3 speed choices
- With remote control 3 wind speed control
- 3 fan mode:Normal/Nature/Sleeping Automatic horizontal and mechanical vertical swing
- Free moving wheel
- With water level sense function

MFC-3800HR

Motor power: 180W

- Water tank capacity:30L
- Meas:550x400x910mm
- N.W./G.W.:14kg/16kg
- Qty/40'HQ:340pcs



MFC-3800R

- Motor power: 180W
- 3 In 1 Air Cooler/Air Purifier/ Humidifier
- Air flow:3800 cbm/h
- Cooling area:30m³
 Air distance:8M
- 3 speed choices
- With remote control
- 3 wind speed control
- 3 fan mode:Normal/Nature/Sleeping
- Automatic horizontal and mechanical vertical swing
- Free moving wheel
- With water level sense function Water tank capacity:30L
- Meas:550x400x610mm
- N.W./G.W.:12kg/13.5kg
- Qty/40'HQ:500pcs



MFC-7000R

- Motor power: 220W
- 3 In 1 Air Cooler/Air Purifier/ Humidifier
- Air flow:7000 cbm/h
- Cooling area:50m³
 Air distance:12M
- 3 speed choices
- With remote control
- With large LED display
- With 8 hours timer With anion function
- 3 wind speed control
- 3 fan mode:Normal/Nature/Sleeping
- Automatic horizontal and mechanical vertical swing
- Free moving wheelWith water level sense function
- Water tank capacity:60L
- Meas:655x445x1125mm N.W./G.W.:18.5kg/20.8kg
- Qtv/40'HQ:180pcs







MFC-45<u>00</u>

- Motor power: 220W3 In 1 Air Cooler/Air Purifier/ Humidifier
- Air flow:4500 cbm/h Cooling area:30m3
- Air distance: 10M
- 3 speed choices
- Automatic horizontal and mechanical vertical swing
- Free moving wheel
- With water level sense function
- Water tank capacity:45LMeas:900x480x750mm
- N.W./G.W.:17.3kg/19.3kg Qty/40'HQ:244pcs



MFC-6000

- Motor power: 220W
- 3 In 1 Air Cooler/Air Purifier/ Humidifier
- Air flow:6000 cbm/h
- Cooling area:50m³
 Air distance:12M
- 3 speed choices Wide angle oscillation
- Free moving wheel
- With water level sense function Water tank capacity:60L
- Meas:1100x480x750mm
- N.W./G.W.:18.5kg/20.8kg Qty/40'HQ:180pcs



YS-825

- Power:160W 3 speed settings
- Wide angle oscillation
- Water tank:50L
- Meas:660x440x1020mm N.W./G.W.:18kg/19.5kg Qty/40HQ:216pcs

YS-825R

3 speed settings

With remote control

With 7.5 hours timer

With anion function

Qty/40'HQ:216pcs

Water tank:50L

Wide angle oscillation

Meas:660x440x1020mm

N.W./G.W.:18kg/19.5kg

3 kind winds:normal/nature/sleeping

Power:160W

LCD display



DG103T

- Power:200W 3 speed settings
- Wide angle oscillation Water tank:60L
- Meas:740x425x1120mm N.W./G.W.:16.3kg/19.5kg
- Qty/40'HQ:190pcs





YS-832

- Power:360W
- 3 speed settings
- With remote control
- With 7.5 hours timer 3 kind of winds:Normal/Nature/Sleeping

10

- With anion function
- Wide angle oscillation
- LCD display
- Water tank:80LMeas:830x550x1320mm
- N.W./G.W.:31kg/34.5kg



09